



WELCOME TO

Siyatone Global Pvt Ltd

Founded in 1998, Siyatone has emerged as a pioneering force in the flooring industry. Its headquarters, advanced manufacturing facilities, and research labs are strategically located in Morbi, India.

Specializing in porcelain and ceramic tiles, Siyatone combines innovative designs with unmatched durability. Supported by **1,250 employees and 8 state-of-the-art minerals, ink, and tile production facilities,** Siyatone achieved a remarkable turnover of **\$146 million in 2023.**

As a trusted leader, Siyatone blends expertise, sustainability, and excellence to meet global demands and shape the future of the flooring industry.







More Than 110k Sq. Mtr.



27+ Year Of Experience



More Than 1250+ Employee



5 Unit Ceramic and 3 Unit Minerals



52+ Country Served




Worldwide Customers





Siyatone brings life to every corner of your space. From walls to floors, our tiles are designed to infuse vibrancy, elegance, and durability into every nook, turning houses into homes and spaces into experiences.




TRANSFORMING SPACES, BREATHING LIFE



The Continue+ Collection emphasizes endless carving designs, likely featuring intricate patterns that flow seamlessly across tiles. These tiles are perfect for adding texture and depth to walls or floors, creating a statement piece in any space.







INDEX

Page Number/Name







Berry Bianco



Arona Silver



Classic Bottochino



Craf Statuario



Creck Caffe







Glassor Caffe







Maxima Beige



Milano Grey



Montclair Beige



Moon Onyx Bianco



Petra Grey Lighte



Roxie Multi



Silvia Beige



Spark White



Stick Ivory



White Censor





Armani Graviti Brown





Armani Graviti Caffe



Dove



Armani Graviti Grey



Berry Grey




Cleo Brown
















Armani Graviti Bianco

9 MM	ENDLESS	3	
THICKNESS	FINISH	RANDOM	
























9 MM	ENDLESS CARVING	4
THICKNESS	FINISH	RANDOM
























Arona Silver

9 MM	ENDLESS CARVING	4
THICKNESS	FINISH	RANDOM



























9 MM	ENDLESS CARVING	4
THICKNESS	FINISH	RANDOM
























Craf Satuario

9 MM	ENDLESS CARVING	4
THICKNESS	FINISH	RANDOM


























Creck Caffe

THICKNESS	FINISH	RANDOM
9 MM	ENDLESS CARVING	4






















THICKNESS FINISH RANDOM

9 MM ENDLESS 4
CARVING


























Emprador Aqua

9 MM	ENDLESS	4
THICKNESS	FINISH	RANDOM

























9 MM	ENDLESS CARVING	4
THICKNESS	FINISH	RANDOM
























Glassor Caffe

9 MM	ENDLESS CARVING	3
THICKNESS	FINISH	RANDOM

























Gold Spero

9 MM	ENDLESS CARVING	3
THICKNESS	FINISH	RANDOM





















Kinder Brown

THICKNESS FINISH RANDOM

9 MM ENDLESS 4
CARVING



























9 MM	ENDLESS	4
THICKNESS	FINISH	RANDOM
























Milano Grey

9 MM	ENDLESS CARVING	3	
THICKNESS	FINISH	RANDOM	
























Montclair Beige

9 MM	ENDLESS CARVING	4
THICKNESS	FINISH	RANDOM
























Moon Onyx Bianco

9 MM	ENDLESS CARVING	4	
THICKNESS	FINISH	RANDOM	























Petra Grey Lighte

THICKNESS	FINISH	RANDOM
9 MM	ENDLESS CARVING	4


























THICKNESS	FINISH	RANDOM
9 MM	ENDLESS CARVING	4























Silvia Beige

9 MM	ENDLESS	4
THICKNESS	FINISH	RANDOM

























Spark White

9 MM	ENDLESS CARVING	4
THICKNESS	FINISH	RANDOM
























Stick Ivory

THICKNESS FINISH RANDOM
9 MM ENDLESS 4



























THICKNESS	FINISH	RANDOM
9 MM	ENDLESS CARVING	4























Armani Graviti Beige

9 MM	ENDLESS	3	
THICKNESS	FINISH	RANDOM	





















Continue[†]

SIYATONE

Armani Graviti Brown

RANDOM

9 MM ENDLESS 3 CARVING

FINISH

THICKNESS





















Armani Graviti Caffe


THICKNESS FINISH RANDOM

9 MM ENDLESS CARVING

3





















300x600mm





Armani Graviti Dove

THICKNESS	FINISH	RANDOM
9 MM	ENDLESS CARVING	3

























Armani Graviti Grey






















Berry Grey

Continue

THICKNESS 9 MM	FINISH	RANDOM 4	
JIVIIVI	CARVING		
























Cleo Brown

THICKNESS FINISH RANDOM	ЭММ	ENDLESS	4
	THICKNESS	FINISH	RANDOM
























Emprador Multi

THICKNESS	FINISH	RANDOM
9 MM	ENDLESS CARVING	4























Kinder Grey

9 MM	ENDLESS CARVING	4
THICKNESS	FINISH	RANDOM
























Kinder Ivory

9 MM	ENDLESS	Д	
THICKNESS	FINISH	RANDOM	




























9 MM	ENDLESS	4
THICKNESS	FINISH	RANDOM























Wild Stone

THICKNESS	FINISH	RANDOM
9 MM	ENDLESS CARVING	4

















TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN 14411 GROUP Bla	MEAN VALUE OF POLISHED GVT	MEAN VALUE OF RUSTIC GVT	ТЕЅТ МЕТНОГ
	•			
REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	Min 4%	GLOSSOMETE
STRUCTURAL PROPERTIES				
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	>2.10 g/cc	>2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROF	PERTIES			
Modulus of rupture	Min. 35 N/mm ²	Min. 40 N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROF	PERTIES			
Surface abrasion resistance	As per mfg.	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg.	Min. 4	Min. 5	EN 101
THERMO HYGROMETRIC PRO	PERTIES			
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5x10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES				
Slip resistance	As per mfg.	>0.40	>0.40	ISO-10545-17
Fire resistance	As per mfg.	Fire proof	Fire proof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Does not yield Pb & Cd	Does not yield Pb & Cd	ISO-10545-15

PACKAGING DETAILS

SR. NO	PRODUCT	NOMINAL SIZE	THICKNESS	TILES PER BOX	COVERAGE AREA
1	VITRIFIED TILES	600x1200mm	9mm	2	1.44 Sq. Mtr.

SYMBOLS lcons

Technical Specification















12 Color Technology

Eco Friendly

Resistant

Application symbole







Offices









E Shopping Area

Wellness Center











Thank You



SIYATONE GLOBAL PVT LTD

Regd.Office : Survey No. 105/1 P2, Opp. Intel Vitrified, Jambudiya,

Morbi - 363 642.

CIN: U46909GJ2024PTC156431

Call on: +91 9712590444 Email: info@siyatone.com