



WELCOME TO

Siyatone Global Pvt Ltd

Founded in 1998, Siyatone has emerged as a pioneering force in the flooring industry. Its headquarters, advanced manufacturing facilities, and research labs are strategically located in Morbi, India.

Specializing in porcelain and ceramic tiles, Siyatone combines innovative designs with unmatched durability. Supported by 1,250 employees and 8 state-of-the-art minerals, ink, and tile production facilities, Siyatone achieved a remarkable turnover of \$146 million in 2023.

As a trusted leader, Siyatone blends expertise, sustainability, and excellence to meet global demands and shape the future of the flooring industry.



SIYATONE
BY SIYARAM



More Than
110k Sq. Mtr.



27+ Year
Of Experience



More Than
1250+ Employee



5 Unit Ceramic and
3 Unit Minerals



52+ Country
Served



Worldwide
Customers

LIFE IN EVERY
CORNER

हर कोने में जिंदगी

Siyatone brings life to every corner of your space. From walls to floors, our tiles are designed to infuse vibrancy, elegance, and durability into every nook, turning houses into homes and spaces into experiences.




TRANSFORMING SPACES, BREATHING LIFE

Continue

COLLECTION

The Countinue Collection embodies seamless, flowing designs with endless patterns that create a unified and expansive look. These tiles are perfect for achieving a minimalist and cohesive aesthetic, ideal for large spaces that require a continuous and sophisticated design.



SIYATONE
BY SIYARAM

INDEX

Page Number/ Name




Almera Grey



Alpine Onyx Parle



Alpine Onyx Grey




Aurora Beige



Aurora Azul



Abezzo Grey



Bianco Vena



Bilbao Moca



Bilbao Azul



Birzeit Beige



Birzeit Grey




Birzeit Brown



Bistrot Calacatta



Breccia Blue



Breccia Elegant Beige



Breccia Elegant White



Breccia Elegant Dove



Bronzo Armani Azuvi



Bronzo Armani Brown




Bronzo Armani Beige



Bronzo Armani Grey



Bronzo Armani Moca



Entzo White



Etrusco Bianco



Etrusco Grey




Firoza Azul



Flurry Dove



Flurry Brown



Flurry Azul



Glassor Grey



Grayish Grey




Hersen Beige



Livingstone




Magma Ivory



Magma Bianco



Mezza Beige




Mezza Bianco



Milano Grey



Mont Beige



Mont Blanco



Moon Onyx Beige



Moon Onyx Bianco



Onyx Ice Gold



Onyx Ice Beige



White Stone



White Stone Grey

Almera Grey

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4



AVAILABLE SIZES

600x1200mm

800X800mm

600x600mm

300x600mm





Almera Grey

Alpine Onyx Parle

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4



AVAILABLE SIZES

600x1200mm

800X800mm

600x600mm


300x600mm





Alpine Onyx Grey

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4



AVAILABLE SIZES

600x1200mm

800X800mm

600x600mm

300x600mm



Aurora Beige

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4








Aurora Beige

Aurora Azul

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4



Abezzo Grey

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4



AVAILABLE SIZES

600x1200mm

800X800mm

600x600mm

300x600mm





Abezzo Grey

Bianco Vena



THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4





Bilbao Moca

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	2





Elegant
Studio



Bilbao Azul

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	2





Birzeit Beige

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4



AVAILABLE SIZES

600x1200mm

800X800mm

600x600mm

300x600mm








BURRITO RESTRO

Birzeit Grey

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4



AVAILABLE SIZES

600x1200mm

800X800mm


600x600mm

300x600mm



Birzeit Brown

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4



AVAILABLE SIZES

600x1200mm

800X800mm

600x600mm

300x600mm



Bistrot Calacatta

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4






LIFESTYLE
GALLERIES

Breccia Blue

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4





Breccia Blue

Breccia Elegant Beige

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4





Breccia Elegant Beige

Breccia Elegant White

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4



Breccia Elegant Dove

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4



Bronzo Armani Azuvi

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4



AVAILABLE SIZES

600x1200mm

800X800mm

600x600mm


300x600mm





Bronzo Armani Brown

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4



Bronzo Armani Beige

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4



Bronzo Armani Grey

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4



Bronzo Armani Moca

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4



Entzo White

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4



AVAILABLE SIZES

600x1200mm

800X800mm

600x600mm

300x600mm






Entzo White

Etrusco Bianco

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4



AVAILABLE SIZES

600x1200mm

800X800mm

600x600mm

300x600mm






Etrusco Bianco

Etrusco Grey

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4




AVAILABLE SIZES

600x1200mm

800x800mm



600x600mm

300x600mm



Firoza Azul

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4





Flurry Dove

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4





Flurry Dove

Flurry Brown

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4



AVAILABLE SIZES

600x1200mm

800X800mm




600x600mm

300x600mm




Flurry Azul

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4



Glassor Grey

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	3







Glassor Grey

Grayish Grey

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4





Grayish Grey

Hersen Beige

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	3






Hersen Beige

Livingstone

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4





Magma Ivory

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4



AVAILABLE SIZES

600x1200mm

800X800mm

600x600mm


300x600mm





Magma Bianco

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4



AVAILABLE SIZES

600x1200mm

800X800mm

600x600mm

300x600mm



Mezza Beige

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4



AVAILABLE SIZES

600x1200mm

800X800mm

600x600mm

300x600mm





VENTORA


Mezza Beige

Mezza Bianco

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4



AVAILABLE SIZES



Milano Grey

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	3



AVAILABLE SIZES

600x1200mm

800X800mm

600x600mm

300x600mm






Milano Grey

Mont Beige

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4


AVAILABLE SIZES





Mont Blanco

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4



AVAILABLE SIZES

600x1200mm

800X800mm

600x600mm

300x600mm



Moon Onyx Beige

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4



AVAILABLE SIZES

600x1200mm

800X800mm

600x600mm

300x600mm






Moon Onyx Beige

Moon Onyx Bianco

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4



AVAILABLE SIZES




Onyx Ice Gold

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4



AVAILABLE SIZES





Onyx Ice Gold


Onyx Ice Beige

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4



White Stone

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	3




AVAILABLE SIZES

600x1200mm

800X800mm

600x600mm

300x600mm







White Stone

White Stone Grey

THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	3



AVAILABLE SIZES

600x1200mm

800X800mm

600x600mm

300x600mm



TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN 14411 GROUP BIa	MEAN VALUE OF POLISHED GVT	MEAN VALUE OF RUSTIC GVT	TEST METHOD
----------------	--	-------------------------------	-----------------------------	-------------

REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	Min 4%	GLOSSOMETER

STRUCTURAL PROPERTIES				
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	>2.10 g/cc	>2.10 g/cc	DIN 51082

MASSIVE MECHANICAL PROPERTIES				
Modulus of rupture	Min. 35 N/mm²	Min. 40 N/mm²	Min. 40 N/mm²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5

SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg.	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg.	Min. 4	Min. 5	EN 101

THERMO HYGROMETRIC PROPERTIES				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5x10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11

CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14

SAFETY PROPERTIES				
Slip resistance	As per mfg.	>0.40	>0.40	ISO-10545-17
Fire resistance	As per mfg.	Fire proof	Fire proof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Does not yield Pb & Cd	Does not yield Pb & Cd	ISO-10545-15

PACKAGING DETAILS

SR. NO	PRODUCT	NOMINAL SIZE	THICKNESS	TILES PER BOX	COVERAGE AREA
1	VITRIFIED TILES	600x1200mm	9mm	2	1.44 Sq. Mtr.

SYMBOLS
Icons

Technical Specification



Zero Maintenance



12 Color Technology



Eco Friendly



Rectified Tiles



Heat Resistant



Scratch Resistant

Application symbole



Airport



Offices



Commercial Buildings



Interiors



Wellness Center



E Shopping Area



Bathroom Area



Driveways



Dinner Café



Restaurant



Museurns



Garden





Thank You

SIYATONE
BY SIYARAM

SIYATONE GLOBAL PVT LTD

Regd.Office : Survey No. 105/1 P2,
Opp. Intel Vitrified, Jambudiya,
Morbi - 363 642.

CIN : U46909GJ2024PTC156431

Call on : +91 9712590444
Email : info@siyatone.com