



WELCOME TO

Siyatone Global Pvt Ltd

Founded in 1998, Siyatone has emerged as a pioneering force in the flooring industry. Its headquarters, advanced manufacturing facilities, and research labs are strategically located in Morbi, India.

Specializing in porcelain and ceramic tiles, Siyatone combines innovative designs with unmatched durability. Supported by 1,250 employees and 8 state-of-the-art minerals, ink, and tile production facilities, Siyatone achieved a remarkable turnover of \$146 million in 2023.

As a trusted leader, Siyatone blends expertise, sustainability, and excellence to meet global demands and shape the future of the flooring industry.







More Than 110k Sq. Mtr.



27+ Year Of Experience



More Than 1250+ Employee



5 Unit Ceramic and 3 Unit Minerals



52+ Country Served




Worldwide Customers





Siyatone brings life to every corner of your space. From walls to floors, our tiles are designed to infuse vibrancy, elegance, and durability into every nook, turning houses into homes and spaces into experiences.




TRANSFORMING SPACES, BREATHING LIFE



The Countinue Collection embodies seamless, flowing designs with endless patterns that create a unified and expansive look. These tiles are perfect for achieving a minimalist and cohesive aesthetic, ideal for large spaces that require a continuous and sophisticated design.







INDEX

Page Number/ Name



Tuscan Grey

Borga Grish

Crok Traventino

Grey



Benzara Brown































Borga Beige



Borga Ivory



Boston Natural


















































































Elino Bianco



THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	3






















Elino Moca



THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	3





















THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4



























THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4





















Sendstone Azul



THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	3























THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4


























THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4
























THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4
























Benzara Grey



THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4






















THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4























THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4

























THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4





















Borga Grish



THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4





















THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4























THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4























THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4
























Calcatta Red



THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	3






















Carmel Creck



THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4
























Crok Traventino Grey



THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4























THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4























THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4

























THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	3



























THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	3

























THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	3

























THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	3

























THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	3






















Jeremy Blue



THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4






















Jeremy Gold



THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4























THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	3



























THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	3

























THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	3





















THICKNESS FINISH RANDOM
9 MM GLOSSY 3























Lucent Grey



THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	3






















Marfil Stick Beige























Marfil Stick Grey



THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4






















THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4


























THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4

























THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4























THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4

























THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4






















Panda Zenet



THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4






















Rex Rose



THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	3























THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	3
























THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	3





















Rose Grey



THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4






















Shadow Grey



HICKNESS	FINISH	RANDOM
MM	GLOSSY	4























THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4





















Shadow Azul



THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4



















Sterling Gold



THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4





















Stone Delco



THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4
























THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4
























Vein Grey



THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4










































Earth Gold



THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4
























THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4


























THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	3

























THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4
























Neora Onix Beige



THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4





















Royal Sataturio



THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4





















Siya Gold



THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4























Sky Smoke



THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	4





















Zebrino Gold



THICKNESS	FINISH	RANDOM
9 MM	GLOSSY	3

















TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN 14411 GROUP Bla	MEAN VALUE OF POLISHED GVT	MEAN VALUE OF RUSTIC GVT	ТЕЅТ МЕТНОГ
	•			
REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	Min 4%	GLOSSOMETE
STRUCTURAL PROPERTIES				
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	>2.10 g/cc	>2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROF	PERTIES			
Modulus of rupture	Min. 35 N/mm ²	Min. 40 N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROF	PERTIES			
Surface abrasion resistance	As per mfg.	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg.	Min. 4	Min. 5	EN 101
THERMO HYGROMETRIC PRO	PERTIES			
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5x10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES				
Slip resistance	As per mfg.	>0.40	>0.40	ISO-10545-17
Fire resistance	As per mfg.	Fire proof	Fire proof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Does not yield Pb & Cd	Does not yield Pb & Cd	ISO-10545-15

PACKAGING DETAILS

SR. NO	PRODUCT	NOMINAL SIZE	THICKNESS	TILES PER BOX	COVERAGE AREA
1	VITRIFIED TILES	600x1200mm	9mm	2	1.44 Sq. Mtr.

SYMBOLS

Technical Specification





12 Color Technology



Eco Friendly









Resistant

Application symbole







Offices









Wellness Center

ů II







E Shopping Area







Thank You



SIYATONE GLOBAL PVT LTD

Regd.Office : Survey No. 105/1 P2, Opp. Intel Vitrified, Jambudiya,

Morbi - 363 642.

CIN: U46909GJ2024PTC156431

Call on: +91 9712590444 Email: info@siyatone.com