

I N T O O U T



SIYATONE
BY SIYARAM

WELCOME TO

Siyatone Global Pvt Ltd

Founded in 1998, Siyatone has emerged as a pioneering force in the flooring industry. Its headquarters, advanced manufacturing facilities, and research labs are strategically located in Morbi, India.

Specializing in porcelain and ceramic tiles, Siyatone combines innovative designs with unmatched durability. Supported by 1,250 employees and 8 state-of-the-art minerals, ink, and tile production facilities, Siyatone achieved a remarkable turnover of \$146 million in 2023.

As a trusted leader, Siyatone blends expertise, sustainability, and excellence to meet global demands and shape the future of the flooring industry.



SIYATONE
BY SIYARAM



More Than
110k Sq. Mtr.



27+ Year
Of Experience



More Than
1250+ Employee



5 Unit Ceramic and
3 Unit Minerals



52+ Country
Served



Worldwide
Customers

LIFE IN EVERY
CORNER

हर कोने में जिंदगी

Siyatone brings life to every corner of your space. From walls to floors, our tiles are designed to infuse vibrancy, elegance, and durability into every nook, turning houses into homes and spaces into experiences.



TRANSFORMING SPACES, BREATHING LIFE

Crystal^{pro} COLLECTION

The Crystal Pro Collection features high-gloss surface tiles designed for a sleek, luxurious look. With an ultra-smooth, reflective finish, these tiles enhance brightness and create a spacious feel. Crafted for durability, they resist scratches, stains, and moisture, ensuring long-lasting elegance. Ideal for modern interiors, they elevate spaces with a premium, polished aesthetic.



SIYATONE
BY SIYARAM

INDEX

Page Number/ Name



Alex Aqua



Armani Brown



Armanio Beige



Armanio Brown



Armanio Grey



Armanio Moca



Rivulet Sable



S_Gold King White



Silverado Aqua



Spider Gold Portro



Staturio Black



Warm Aqua



Arrow Black



Arrow White



Blackito Brown



Block Black



Breccia Capraia



Centura Warm



Warm Cayn



William Aqua



Deeper Dark



Deeper Light




Emprador Marmo



Ferro Green



Fusion Black



Glass Gold



Great Emperador



Knoll Black



Lythos Aqua



Lythos Black



Lythos Blue




Marmi Black



Marmol Negro



Mentos Gold



Natural Stone



Nessa Aqua



Panda Black





Qurry Aqua



Alex Aqua


THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	4





Armani Brown

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	4



AVAILABLE SIZES

600x1200mm

800X800mm

600x600mm

300x600mm



Armanio Beige

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	5



AVAILABLE SIZES


600x1200mm

800X800mm

600x600mm

300x600mm





AVAILABLE SIZES

600x1200mm

800X800mm

600x600mm

300x600mm





Armanio Brown

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	5



Armanio Grey



THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	5






Armanio Moca

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	5





Arrow Black

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	7





Arrow White

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	7



Blackito Brown

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	6



AVAILABLE SIZES

600x1200mm

800X800mm

600x600mm

300x600mm






Blackito Brown

Block Black

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	1



AVAILABLE SIZES

600x1200mm

800x800mm




600x600mm

300x600mm



Breccia Capraia

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	4



Centura Warm

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	6



AVAILABLE SIZES

600x1200mm

800X800mm

600x600mm


300x600mm






Deeper Dark

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	5



Deeper Light

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	5



AVAILABLE SIZES

600x1200mm

800X800mm


600x600mm

300x600mm



Emprador Marmo

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	4








Emprador Marmo


Ferro Green

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	5






Fusion Black

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	4





Glass Gold

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	3



Great Emperador




THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	6







Knoll Black

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	4



Lythos Aqua

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	6



AVAILABLE SIZES

600x1200mm

800X800mm


600x600mm

300x600mm





Lythos Black

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	6



Lythos Blue

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	6







Lythos Blue




Marmi Black

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	4






Marmol Negro

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	6





Mentos Gold

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	6



Natural Stone

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	4







Natural Stone

Nessa Aqua

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	3



AVAILABLE SIZES

600x1200mm

800x800mm

600x600mm

300x600mm



Panda Black

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	4



AVAILABLE SIZES

600x1200mm

800x800mm




600x600mm

300x600mm






Qurry Aqua

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	5



Rivulet Sable




THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	4








Gold King White

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	4





Silverado Aqua

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	3




Spider Gold Portro

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	4



Staturio Black

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	8








Staturio Black




Warm Aqua

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	5






Warm Cayn

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	5



William Aqua

THICKNESS	FINISH	RANDOM
9 MM	HIGH GLOSS	4



TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN 14411 GROUP BIa	MEAN VALUE OF POLISHED GVT	MEAN VALUE OF RUSTIC GVT	TEST METHOD
----------------	--	----------------------------	--------------------------	-------------

REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	Min 4%	GLOSSOMETER

STRUCTURAL PROPERTIES				
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	>2.10 g/cc	>2.10 g/cc	DIN 51082

MASSIVE MECHANICAL PROPERTIES				
Modulus of rupture	Min. 35 N/mm²	Min. 40 N/mm²	Min. 40 N/mm²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5

SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg.	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg.	Min. 4	Min. 5	EN 101

THERMO HYGROMETRIC PROPERTIES				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5x10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11

CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14

SAFETY PROPERTIES				
Slip resistance	As per mfg.	>0.40	>0.40	ISO-10545-17
Fire resistance	As per mfg.	Fire proof	Fire proof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Does not yield Pb & Cd	Does not yield Pb & Cd	ISO-10545-15

PACKAGING DETAILS

SR. NO	PRODUCT	NOMINAL SIZE	THICKNESS	TILES PER BOX	COVERAGE AREA
1	VITRIFIED TILES	600x1200mm	9mm	2	1.44 Sq. Mtr.

SYMBOLS
Icons

Technical Specification



Zero Maintenance



12 Color Technology



Eco Friendly



Rectified Tiles



Heat Resistant



Scratch Resistant

Application symbol



Airport



Offices



Commercial Buildings



Interiors



Wellness Center



E Shopping Area



Bathroom Area



Driveways



Dinner Café



Restaurant



Museurns



Garden





Thank You

SIYATONE
BY SIYARAM

SIYATONE GLOBAL PVT LTD

Regd.Office : Survey No. 105/1 P2,
Opp. Intel Vitrified, Jambudiya,
Morbi - 363 642.

CIN : U46909GJ2024PTC156431

Call on : +91 9712590444
Email : info@siyatone.com