

I N & O U T



**SIYATONE**  
BY SIYARAM



# हर कोने में जिंदगी


Committed to excellence, we provide innovative designs, superior materials, and expert craftsmanship. Elevate your interiors with our stylish and long-lasting tiles, perfect for modern and classic aesthetics alike.





# GRIPPON STYLE, SAFETY, & STRENGTH FOR EVERY STEP!

STEP CONFIDENTLY- WHETHER WALKING, RUNNING,  
PLAYING, OR COMMUTING WITH **GRIPPO**  
BY **SIYATONE** THE ULTIMATE SOLUTION  
FOR STYLISH AND SECURE ANTI-SLIP TILES.





## ABOUT THE COLLECTION

### GRIPPON COLLECTION : PUNCHLESS BEYOND LIMITS

Siyatone proudly presents the Grippon Series, a standout part of its In&Out Collection that seamlessly blends safety, style, and innovation. Designed for both residential and commercial applications, as well as industrial spaces, this revolutionary tile series offers unparalleled functionality and aesthetics.

Leveraging High-Resistance Glazed technology from Italy, the Grippon Series delivers :

Exceptional durability to withstand daily wear and tear Slip-resistant surfaces for enhanced safety. A refined surface finish for a sophisticated look.

At the heart of this collection lies the unique "punchless punch effect" a ground breaking design innovation that combines subtle aesthetics with dynamic functionality. The result? Secure and elegant spaces that inspire confidence and elevate design.

Whether it's courtyards, sidewalks, patios, or high-traffic areas, the Grippon Series offers anti-polishing, anti-abrasion, and tactile friction properties to minimize accidents and enhance the experience of movement.

Grip Beyond Limits—a perfect synergy of safety and sophistication for modern living.



THE ULTIMATE HIGH RESISTANCE GRITS FOR  
PUNCHLESS SLIP RESISTANT SURFACE

[www.siyatone.com](http://www.siyatone.com)



## Tile Surface Comparison

### REGULAR MATT VS. GRIPPON (PUNCHLESS) SERIES



#### Feature

#### Regular Matt

|                    |                                       |
|--------------------|---------------------------------------|
| Gloss Level        | 12-15 (softer, shinier touch)         |
| Scratch Resistance | MOH 4-6 (lower)                       |
| Slip Resistance    | Not specified                         |
| Stain Resistance   | Not specified                         |
| Water Absorption   | 0.5%-3% (more moisture absorption)    |
| Durability         | Moderate (not for heavy foot traffic) |
| Breaking Strength  | 250-300 lbf                           |
| Ease of Cleaning   | Needs frequent cleaning               |

#### CONCLUSION :

- Regular Matt: Ideal for indoor residential use with light foot traffic and a soft touch.

#### Feature

#### Grippon (punchless) Series

|                    |                                                |
|--------------------|------------------------------------------------|
| Gloss Level        | 4 (subtle matte finish)                        |
| Scratch Resistance | MOH 6+ (high scratch resistance)               |
| Slip Resistance    | R10 (safe for wet and commercial areas)        |
| Stain Resistance   | Class 4+ (easy to clean, stain-resistant)      |
| Water Absorption   | +0.05% (ultra low absorption, frost-resistant) |
| Durability         | High (perfect for tough use & outdoors)        |
| Breaking Strength  | 2350 lbf (extremely durable)                   |
| Ease of Cleaning   | Easy clean, low dirt adhesion                  |

#### CONCLUSION :

- Grippon (Punchless) Series: Built for long-lasting performance in outdoor, high-traffic, and commercial spaces, combining durability, anti-slip, and low maintenance.

## WHEN YOU WALK ON AN ORDINARY SURFACE

The risks of slipping or falling are high on ordinary tiles due to poor grip and surface traction. Unpredictable moments can lead to accidents, especially in high-traffic areas or spaces prone to water and debris.



## WHEN YOU WALK OUR PUNCHLESS ANTI-SLIP TILE!

With Grippon tiles, every step is secure and confident. Our innovative R10 rated anti-skid surfaces ensure maximum traction, minimizing the chances of accidents and creating a safe environment for everyone—young or old, at work or



Anti-abrasion

Enduring resilience against wear makes the surfaces resistant to scratches and abrasions even in high-traffic areas.



Anti-slip

Prioritize safety in every step with a textured surface with a high coefficient of friction, reducing the risk of slips and falls



R-10 SURFACE

Anti-slip

Have exceptional standards of grip at areas with high footfall to prevent slips or falls and have a safe floor to walk upon



Enhance homes, patios, and commercial spaces with high slip and skid-resistant tiles, ensuring safe and worry-free movement on every floor.



Application On Outdoor



Application On Indoor



TECHNICAL SPECIFICATION

- 

MATT R-10
- 

GRIP
- 

RECTIFIED
- 

MODULAR SIZES
- 

MODERATE VARIATION
- 

FROST PROOF
- 

DIGITAL TECHNOLOGY
- 

THICKNESS


COLORS




Grippon Crema



Grippon Grey



Grippon Pearl



Grippon Sand




Grippon Silver



Grippon Active White



Grippon Concrete Grey



Grippon Cool Grey




Grippon Off White



Grippon Surface Sand



SIZE & SURFACES



4 Size | 10 Colors | 1 Surface




Surfaces Structure



**Grippon**  
collection

**Grippon**  
crema



60X120CM  
24"X48"

80X80CM  
32"X32"

60X60CM  
24"X24"


30X60CM  
12"X24"



**600x1200mm**

**Finish :** Grippon ( Punchless)

RANDOM-12



**600x600mm**

**Finish :** Grippon ( Punchless)

RANDOM-12





**Grippon Crema | 600x1200mm**

**Finish :** Grippon ( Punchless)



OUTDOOR SPACE






**Grippon Crema | 600x1200mm**  
**Finish :** Grippon ( Punchless)



**Grippon**  
collection

**Grippon**  
Grey



60X120CM  
24"x48"

80X80CM  
32"x32"

60X60CM  
24"x24"

30X60CM  
12"x24"



**600x1200mm**

**Finish :** Grippon ( Punchless)

RANDOM-12



**600x600mm**

**Finish :** Grippon ( Punchless)

RANDOM-12





**Grippon Grey | 600x1200mm**  
**Finish :** Grippon ( Punchless)






**Grippon Grey | 600x1200mm**  
**Finish :** Grippon ( Punchless)





**Grippon**  
collection

**Grippon  
Pearl**




60X120CM  
24"X48"

80X80CM  
32"X32"

60X60CM  
24"X24"


30X60CM  
12"X24"



**600x1200mm**

**Finish :** Grippon ( Punchless)

RANDOM-12



**600x600mm**

**Finish :** Grippon ( Punchless)

RANDOM-12





OUTDOOR SPACE

Grippon Pearl | 600x1200mm  
 Finish : Grippon ( Punchless)



**Grippon**  
 collection








**Grippon Pearl | 600x1200mm**  
**Finish :** Grippon ( Punchless)



**Grippon**  
collection

**Grippon  
Sand**



60X120CM  
24"x48"

80X80CM  
32"x32"

60X60CM  
24"x24"


30X60CM  
12"x24"



**600x1200mm**

**Finish :** Grippon ( Punchless)

RANDOM-12



**600x600mm**

**Finish :** Grippon ( Punchless)

RANDOM-12





**Grippon Sand | 600x1200mm**  
Finish : Grippon ( Punchless)



INDOOR SPACE



**Grippon Sand | 600x1200mm**  
**Finish :** Grippon ( Punchless)




INDOOR SPACE



**Grippon**  
collection

**Grippon  
Silver**



60X120CM  
24"X48"

80X80CM  
32"X32"

60X60CM  
24"X24"


30X60CM  
12"X24"



**600x1200mm**

**Finish :** Grippon ( Punchless)

RANDOM-12



**600x600mm**

**Finish :** Grippon ( Punchless)

RANDOM-12





**Grippon Silver | 600x1200mm**  
**Finish : Grippon ( Punchless)**








**Grippon Silver | 600x1200mm**  
**Finish :** Grippon ( Punchless)



**Grippon**  
collection

**Grippon**  
**Active White**




60X120CM  
24"X48"

80X80CM  
32"X32"

60X60CM  
24"X24"


30X60CM  
12"X24"



**600x1200mm**

**Finish :** Grippon ( Punchless)

RANDOM-12



**600x600mm**

**Finish :** Grippon ( Punchless)

RANDOM-12





**Grippon Active White | 600x1200mm**

**Finish :** Grippon ( Punchless)



**Grippon**  
collection



INDOOR SPACE



Grippon Active White | 600x1200mm

Finish : Grippon ( Punchless)




INDOOR SPACE



**Grippon**  
collection

**Grippon**  
**Concrete Grey**




60X120CM  
24"x48"

80X80CM  
32"x32"

60X60CM  
24"x24"


30X60CM  
12"x24"



**600x1200mm**

**Finish :** Grippon ( Punchless)

RANDOM-12



**600x600mm**

**Finish :** Grippon ( Punchless)

RANDOM-12





INDOOR SPACE

**Grippon**  
collection



**Grippon Concrete Grey | 600x1200mm**

**Finish : Grippon ( Punchless)**







**Grippon Concrete Grey | 600x1200mm**  
**Finish :** Grippon ( Punchless)



Grippon  
collection

Grippon  
Cool Grey




60X120CM  
24"x48"

80X80CM  
32"x32"

60X60CM  
24"x24"


30X60CM  
12"x24"



**600x1200mm**

**Finish :** Grippon ( Punchless)

RANDOM-12



**600x600mm**

**Finish :** Grippon ( Punchless)

RANDOM-12





OUTDOOR SPACE



**Grippon Cool Grey | 600x1200mm**

**Finish :** Grippon ( Punchless)



Anti-slip







**Grippon Cool Grey | 600x1200mm**  
**Finish :** Grippon ( Punchless)



**Grippon**  
collection

Grippon  
Off White




60X120CM  
24"x48"

80X80CM  
32"x32"

60X60CM  
24"x24"


30X60CM  
12"x24"



**600x1200mm**

**Finish :** Grippon ( Punchless)

RANDOM-12



**600x600mm**

**Finish :** Grippon ( Punchless)

RANDOM-12





**Grippon Off White | 600x1200mm**  
Finish : Grippon ( Punchless)



OUTDOOR SPACE






Grippon Off White | 600x1200mm  
Finish : Grippon ( Punchless)



**Grippon**  
collection


Grippon  
Surface Sand



**600x1200mm**

**Finish :** Grippon ( Punchless)

RANDOM-12



**600x600mm**

**Finish :** Grippon ( Punchless)

RANDOM-12





OUTDOOR SPACE



Grippon Surface Sand | 600x1200mm  
Finish : Grippon ( Punchless)



Anti-slip







Grippon Surface Sand | 600x1200mm  
Finish : Grippon ( Punchless)



APPLICABLE STANDARD ISO 13006 ANNEX G

| TESTS                                                                             |                                                      | RESULTS                                 |                            |
|-----------------------------------------------------------------------------------|------------------------------------------------------|-----------------------------------------|----------------------------|
|   | UNE-EN ISO 10545-2<br>DIMENSIONS AND SURFACE QUALITY | DIMENSIONS                              | COMPLIES WITH THE STANDARD |
|                                                                                   | UNE-EN ISO 10545-3<br>WATER ABSORPTION               | AVERAGE VALUE (%)                       | ≤ 0,5 %                    |
|   | UNE-EN ISO 10545-4<br>MODULUS OF RUPTURE             | BREAKING STRENGH (N)                    | 1.600 - 2.400 N            |
|                                                                                   |                                                      | MODULUS OF RUPTURE (N/mm <sup>2</sup> ) | 35 - 45 N/mm <sup>2</sup>  |
|   | UNE-EN ISO 10545-7<br>SURFACE ABRASION (PEI)         | RESULT                                  | PEI 4                      |
|   | UNE-EN ISO 10545-9<br>THERMAL RESISTANCE             | RESULT                                  | RESISTS                    |
|   | UNE-EN ISO 10545-11<br>CRAZING RESISTANCE            | RESULT                                  | RESISTS                    |
|   | UNE-EN ISO 10545-12<br>FROST RESISTANCE              | RESULT                                  | RESISTS                    |
|   | UNE-EN ISO 10545-13<br>CHEMICAL RESISTANCE           | AMMONIUM CHLORIDE 100 g/l               | A                          |
|                                                                                   |                                                      | SODIUM HYPOCHLORITE 20 mg/l             | A                          |
|                                                                                   |                                                      | HYDROCHLORIC ACID 3%                    | COMPLIES WITH THE STANDARD |
|                                                                                   |                                                      | CITRIC ACID                             |                            |
|  | UNE-EN ISO 10545-14<br>STAIN RESISTANCE              | POTASSIUM HYDROXYDE 30 g/l              |                            |
|                                                                                   |                                                      | GREEN AGENT IN LIGHT OIL                | 5                          |
|                                                                                   |                                                      | IODINE SOLUTION IN ALCOHOL              | 5                          |
|                                                                                   |                                                      | OLIVE OIL                               | 5                          |

PACKAGING DETAILS

| SR. NO | PRODUCT         | NOMINAL SIZE | THICKNESS | TILES PER BOX | COVERAGE AREA |
|--------|-----------------|--------------|-----------|---------------|---------------|
| 1      | PORCELAIN TILES | 600x1200mm   | 9mm       | 2             | 1.44 Sq. Mtr. |
| 2      | PORCELAIN TILES | 600x600mm    | 9mm       | 4             | 1.44 Sq. Mtr. |
| 3      | PORCELAIN TILES | 800x800mm    | 9mm       | 3             | 1.92 Sq. Mtr. |
| 4      | PORCELAIN TILES | 300x600mm    | 9mm       | 8             | 1.44 Sq. Mtr. |





**SIYATONE**  
"SIYARAM"

**SIYATONE GLOBAL PVT LTD**

Regd.Office : Survey No. 105/1 P2, Opp. Intel Vitrified, Jambudiya, Morbi - 363 642.

Call On : +91 97125 90444 | Email : [meet@siyatone.com](mailto:meet@siyatone.com)

[www.siyatone.com](http://www.siyatone.com)

CIN : U46909GJ2024PTC156431