



Committed to excellence, we provide innovative designs, superior materials, and expert craftsmanship. Elevate your interiors with our stylish and long-lasting tiles, perfect for modern and classic aesthetics alike.



GRIPPON STYLE, SAFETY, & STRENGTH FOR EVERY STEP!

STEP CONFIDENTLY- WHETHER WALKING, RUNNING, PLAYING, OR COMMUTING WITH **GRIPPO**BY **SIYATONE** THE ULTIMATE SOLUTION
FOR STYLISH AND SECURE ANTI-SLIP TILES.


















ABOUT THE COLLECTION

GRIPPON COLLECTION: PUNCHLESS BEYOND LIMITS

Siyatone proudly presents the Grippon Series, a standout part of its In&Out Collection that seamlessly blends safety, style, and innovation. Designed for both residential and commercial applications, as well as industrial spaces, this revolutionary tile series offers unparalleled functionality and aesthetics.

Leveraging High-Resistance Glazed technology from Italy, the Grippon Series delivers :

Exceptional durability to withstand daily wear and tear Slip-resistant surfaces for enhanced safety. A refined surface finish for a sophisticated look.

At the heart of this collection lies the unique "punchless punch effect" a ground breaking design innovation that combines subtle aesthetics with dynamic functionality. The result? Secure and elegant spaces that inspire confidence and elevate design.

Whether it's courtyards, sidewalks, patios, or high-traffic areas, the Grippon Series offers anti-polishing, anti-abrasion, and tactile friction properties to minimize accidents and enhance the experience of movement.

Grip Beyond Limits—a perfect synergy of safety and sophistication for modern living.

www.siyatone.com

Tile Surface Comparison REGULAR MATT VS. GRIPPON (PUNCHLESS) SERIES





Feature	Regular Matt

12-15 (softer, shinier touch)

Scratch Resistance MOH 4-6 (lower)

Slip Resistance Not specified

Stain Resistance Not specified

Water Absorption 0.5%-3% (more moisture absorption)

Durability Moderate (not for heavy foot traffic)

Breaking Strength 250-300 lbf

Ease of Cleaning Needs frequent cleaning

CONCLUSION:

Gloss Level

 Regular Matt: Ideal for indoor residential use with light foot traffic and a soft touch.



Feature

Gloss Level

Scratch Resistance

Slip Resistance

Stain Resistance

Water Absorption

Durability

Breaking Strength

Ease of Cleaning

Grippon (punchless) Series

4 (subtle matte finish)

MOH 6+ (high scratch resistance)

R10 (safe for wet and commercial areas)

Class 4+ (easy to clean, stain-resistant)

+0.05% (ultra low absorption, frost-resistant)

High (perfect for tough use & outdoors)

2350 lbf (extremely durable)

Easy clean, low dirt adhesion

CONCLUSION:

 Grippon (Punchless) Series: Built for long-lasting performance in outdoor, high-traffic, and commercial spaces, combining durability, anti-slip, and low maintenance.

WHEN YOU WALK ON AN ORDINARY SURFACE

The risks of slipping or falling are high on ordinary tiles due to poor grip and surface traction. Unpredictable moments can lead to accidents, especially in high-traffic areas or spaces prone to water and debris.



WHEN YOU WALK OUR PUNCHLESS ANTI-SLIP TILE!

With Grippon tiles, every step is secure and confident. Our innovative R10 rated anti-skid surfaces ensure maximum traction, minimizing the chances of accidents and creating safe environment for everyone—young or old, at work or play.





Anti-abrasion

Enduring resillence against wear makes the surfaces resistant to scratches and abrasions even in high-traffic areas.



Anti-slip

Prioritize safety in every step with a textured surface with a high coefficient of friction, reducing the risk of slips and falls



Anti-slip

Have exceptional standards of grip at areas with high footfall to prevent slips or falls and have a safe floor to walk upont Enhance homes, patios, and commercial spaces with high slip and skid-resistant tiles, ensuring safe and worry-free movement on every floor.



Application On Outdoor





Application On Indoor



TECHNICAL SPECIFICATION
















DIGITAL THICKNE

COLORS





Grippon Off White




Grippon Surface Sand



SIZE & SURFACES




4 Size | 10 Colors | 1 Surface








Grippon crema





600x1200mm Finish: Grippon (Punchless)

RANDOM-12



600x600mm Finish: Grippon (Punchless)







Grippon Crema | 600x1200mm Finish: Grippon (Punchless)
























Grippon Crema | 600x1200mm Finish : Grippon (Punchless)







Finish: Grippon (Punchless)

RANDOM-12








600x600mm Finish: Grippon (Punchless)









Grippon Grey | 600x1200mm Finish: Grippon (Punchless)

















Grippon Grey | 600x1200mm







Grippon Pearl

80X80CM 32"X32"


60X120CM

24"X48"

60X60CM 24"X24" 30X60CM


12"X24"






600x1200mm Finish: Grippon (Punchless)





600x600mm Finish: Grippon (Punchless)





Grippon Pearl | 600x1200mm

























Grippon Pearl | 600x1200mm Finish: Grippon (Punchless)



Grippon Sand








Finish: Grippon (Punchless)

RANDOM-12



600x600mm Finish: Grippon (Punchless)







Grippon Sand | 600x1200mm Finish: Grippon (Punchless)































Grippon Silver





600x1200mm Finish: Grippon (Punchless)





600x600mm Finish: Grippon (Punchless)

RANDOM-12









Grippon Silver | 600x1200mm Finish: Grippon (Punchless)



















Grippon Silver | 600x1200mm Finish: Grippon (Punchless)








RANDOM-12

Finish: Grippon (Punchless)



600x600mm Finish: Grippon (Punchless)





Grippon Active White | 600x1200mm Finish: Grippon (Punchless)



































RANDOM-12

Finish: Grippon (Punchless)



600x600mm

RANDOM-12









Grippon Concrete Grey | 600x1200mm Finish : Grippon (Punchless)





















Grippon Concrete Grey | 600x1200mm Finish: Grippon (Punchless)








RANDOM-12


Finish: Grippon (Punchless)



600x600mm

RANDOM-12









Grippon Cool Grey | 600x1200mm Finish: Grippon (Punchless)





















Grippon Cool Grey | 600x1200mm Finish: Grippon (Punchless)








RANDOM-12

Finish: Grippon (Punchless)



600x600mm

RANDOM-12







Grippon Off White | 600x1200mm Finish: Grippon (Punchless)

























Grippon Off White | 600x1200mm Finish: Grippon (Punchless)



24"X24"


12"X24"





600x1200mm RANDOM-12

Finish: Grippon (Punchless)



600x600mm RANDOM-12









Grippon Surface Sand | 600x1200mm Finish: Grippon (Punchless)




















Grippon Surface Sand | 600x1200mm Finish: Grippon (Punchless)

APPLICABLE STANDARD ISO 13006 ANNEX G

	TESTS	RESULTS		
	UNE-EN ISO 10545-2 DIMENSIONS AND SURFACE QUALITY	DIMENSIONS	COMPLIES WITH THE STANDARD	
888	UNE-EN ISO 10545-3 WATER ABSORPTION	AVERAGE VALUE (%)	≤ 0,5 %	
↓ ↓ ↓ N/mm²	UNE-EN ISO 10545-4 MODULUS OF RUPTURE	BREAKING STRENGH (N) MODULUS OF RUPTURE (N/mm²)	1.600 - 2.400 N 35 - 45 N/mm²	
nnnn	UNE-EN ISO 10545-7 SURFACE ABRASION (PEI)	RESULT	PEI 4	
tc°	UNE-EN ISO 10545-9 THERMAL RESISTANCE	RESULT	RESISTS	
tc°	UNE-EN ISO 10545-11 CRAZING RESISTANCE	RESULT	RESISTS	
*	UNE-EN ISO 10545-12 FROST RESISTANCE	RESULT	RESISTS	
<u>jî v</u>	UNE-EN ISO 10545-13 CHEMICAL RESISTANCE	AMMONIUM CHLORIDE 100 g/I SODIUM HYPOCHLORITE 20 mg/I	A A	
		HYDROCHLORIC ACID 3% CITRIC ACID POTASSIUM HYDROXYDE 30 g/l	COMPLIES WITH THE STANDARD	
*	UNE-EN ISO 10545-14 STAIN RESISTANCE	GREEN AGENT IN LIGHT OIL	5	
		IODINE SOLUTION IN ALCOHOL	5	
		OLIVE OIL	5	

PACKAGING DETAILS

SR. NO	PRODUCT	NOMINAL SIZE	THICKNESS	TILES PER BOX	COVERAGE AREA
1	PORCELAIN TILES	600x1200mm	9mm	2	1.44 Sq. Mtr.
2	PORCELAIN TILES	600x600mm	9mm	4	1.44 Sq. Mtr.
3	PORCELAIN TILES	800x800mm	9mm	3	1.92 Sq. Mtr.
4	PORCELAIN TILES	300x600mm	9mm	8	1.44 Sq. Mtr.









SIYATONE GLOBAL PVT LTD

Regd.Office: Survey No. 105/1 P2, Opp. Intel Vitrified, Jambudiya, Morbi - 363 642.

Call On: +91 97125 90444 | Email: meet@siyatone.com

www.siyatone.com

CIN: U46909GJ2024PTC156431