



WELCOME TO

Siyatone Global Pvt Ltd

Founded in 1998, Siyatone has emerged as a pioneering force in the flooring industry. Its headquarters, advanced manufacturing facilities, and research labs are strategically located in Morbi, India.

Specializing in porcelain and ceramic tiles, Siyatone combines innovative designs with unmatched durability. Supported by 1,250 employees and 8 state-of-the-art minerals, ink, and tile production facilities, Siyatone achieved a remarkable turnover of \$146 million in 2023.

As a trusted leader, Siyatone blends expertise, sustainability, and excellence to meet global demands and shape the future of the flooring industry.







More Than 110k Sq. Mtr.



27+ Year Of Experience



More Than 1250+ Employee



5 Unit Ceramic and 3 Unit Minerals



52+ Country Served



Worldwide Customers





Siyatone brings life to every corner of your space. From walls to floors, our tiles are designed to infuse vibrancy, elegance, and durability into every nook, turning houses into homes and spaces into experiences.




TRANSFORMING SPACES, BREATHING LIFE

Luminous[†]

"The Luminous+ Collection is designed to illuminate spaces with a touch of elegance and sophistication. Its semi-high gloss finish brings surfaces to life, reflecting light in a way that enhances the ambiance of any room. Ideal for modern interiors, Luminous+ is where aesthetics meet functionality, making your spaces brighter and more inviting."



















Evo Crack



Florim Aqua



Framed Aqua



Majorca Aqua






Onyx Blaze Red



Onyx Limestone Pine



Onyx Limestone



Kelosa Parrot



Opera Spero









Volterra Red



Aqua Stroke



Carrara Aqua Endless



Gold Stroke



Lighthing Multi



Luxurious Aqua



Gloni Gold




Sweet Gems Gold



Swirl Rose





















Armani Aqua

THICKNESS	FINISH	RANDOM
9 MM	Semi High Gloss	3
























Calacatta Rosso Aqua

THICKNESS	FINISH	RANDOM
9 MM	Semi High Gloss	4
























Carlin Aqua

THICKNESS	FINISH	RANDOM
9 MM	Semi High Gloss	3























Evo Crack Aqua























Evo Crack

THICKNESS	FINISH	RANDOM
9 MM	Semi High Gloss	4





















Florim Aqua























Framed Aqua























Kelosa Parrot
























Majorca Aqua
























Onixy Lava























Onyx Blaze Red























Onyx Limestone Pine

THICKNESS	FINISH	RANDOM
9 MM	Semi High Gloss	4
























Onyx Limestone

THICKNESS	FINISH	RANDOM
9 MM	Semi High Gloss	4























Onyx Paul Aqua























Opera Spero

























THICKNESS	FINISH	RANDOM
9 MM	Semi High Gloss	3

Opera Aqua






















Roma Red

THICKNESS	FINISH	RANDOM
9 MM	Semi High Gloss	4























Spiyaza Aqua

THICKNESS	FINISH	RANDOM	
9 MM	Semi High Gloss	4	
























Volterra Red

THICKNESS FINISH RANDOM
9 MM Semi High Gloss 4


























Aqua Stroke

HICKNESS	FINISH	RANDOM
MM	Semi High Gloss	4

























Carrara Aqua Endless

THICKNESS	FINISH	RANDOM
9 MM	Semi High Gloss	4























Gold Stroke

THICKNESS	FINISH	RANDOM
9 MM	Semi High Gloss	4
























Lighthing Multi

THICKNESS	FINISH	RANDOM
9 MM	Semi High Gloss	4
























Luxurious Aqua

HICKNESS	FINISH	RANDOM
) MM	Semi High Gloss	4

























Salon Spider Gold

NANA	Semi High Gloss	4
HICKNESS	FINISH	RANDOM


























Aqua Sky

THICKNESS	FINISH	RANDOM
9 MM	Semi High Gloss	4





















Gloni Aqua

THICKNESS	FINISH	RANDOM
9 MM	Semi High Gloss	4
























THICKNESS FINISH RANDOM 9 MM Semi High Gloss 4

Gloni Gold






















Sweet Gems Gold

THICKNESS	FINISH	RANDOM
9 MM	Semi High Gloss	4

























Swirl Rose

THICKNESS FINISH RANDOM
9 MM Semi High Gloss 4


























Swirl Aqua

THICKNESS	FINISH	RANDOM
9 MM	Semi High Gloss	4
























Swirl Green

THICKNESS	FINISH	RANDOM
9 MM	Semi High Gloss	4























Luminous[†]

THICKNESS	FINISH	RANDOM
9 MM	Semi High Gloss	4

Veined Gold

























Glamorous Rose

THICKNESS FINISH RANDOM
9 MM Semi High Gloss 5


























Glamorous Aqua

THICKNESS	FINISH	RANDOM
9 MM	Semi High Gloss	5






















Logy Aqua



THICKNESS	FINISH	RANDOM
9 MM	Semi High Gloss	6






















Petlon Aqua

THICKNESS	FINISH	RANDOM
9 MM	Semi High Gloss	6























Fritta Global



















TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN 14411 GROUP Bla	MEAN VALUE OF POLISHED GVT	MEAN VALUE OF RUSTIC GVT	TEST METHO
REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	Min 4%	GLOSSOMETE
STRUCTURAL PROPERTIES				
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	>2.10 g/cc	>2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROF				
Modulus of rupture	Min. 35 N/mm ²	Min. 40 N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PRO	PERTIES			
Surface abrasion resistance	As per mfg.	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg.	Min. 4	Min. 5	EN 101
THERMO HYGROMETRIC PRO	PERTIES			
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5x10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-1
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
Jan resistance	nesistant	nesistant	nesistant	150-10343-14
SAFETY PROPERTIES				
Slip resistance	As per mfg.	>0.40	>0.40	ISO-10545-17
Fire resistance	As per mfg.	Fire proof	Fire proof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Does not yield Pb & Cd	Does not yield Pb & Cd	ISO-10545-15

PACKAGING DETAILS

SR. NO	PRODUCT	NOMINAL SIZE	THICKNESS	TILES PER BOX	COVERAGE AREA
1	VITRIFIED TILES	600x1200mm	9mm	2	1.44 Sq. Mtr.

SYMBOLS

Technical Specification





12 Color Technology



Eco Friendly









Resistant

Application symbole







Offices









E Shopping Area

Wellness Center

ů II















Thank You



SIYATONE GLOBAL PVT LTD

Regd.Office: Survey No. 105/1 P2, Opp. Intel Vitrified, Jambudiya,

Morbi - 363 642.

CIN: U46909GJ2024PTC156431

Call on: +91 9712590444 Email: info@siyatone.com