



WELCOME TO

Siyatone Global Pvt Ltd

Founded in 1998, Siyatone has emerged as a pioneering force in the flooring industry. Its headquarters, advanced manufacturing facilities, and research labs are strategically located in Morbi, India.

Specializing in porcelain and ceramic tiles, Siyatone combines innovative designs with unmatched durability. Supported by 1,250 employees and 8 state-of-the-art minerals, ink, and tile production facilities, Siyatone achieved a remarkable turnover of \$146 million in 2023.

As a trusted leader, Siyatone blends expertise, sustainability, and excellence to meet global demands and shape the future of the flooring industry.







More Than 110k Sq. Mtr.



27+ Year Of Experience



More Than 1250+ Employee



5 Unit Ceramic and 3 Unit Minerals



52+ Country Served



Worldwide Customers





Siyatone brings life to every corner of your space. From walls to floors, our tiles are designed to infuse vibrancy, elegance, and durability into every nook, turning houses into homes and spaces into experiences.



TRANSFORMING SPACES, BREATHING LIFE



The Terazzo Collection draws inspiration from the timeless terrazzo style, featuring speckled textures and modern patterns. This collection is perfect for adding a vibrant, artistic touch to contemporary or industrial interiors while maintaining durability and elegance.







INDEX

Page Number/ Name










Amarone Bianco



Amarone Moca





Aveiro Bianco



Calendonia Beige



Bianco



Calendonia Grey



Chappo Grey



Emser Beige



Emser Moca



Emser Grey



Emser Silver



Forbo Silver



Forbo Dove





Forbo Coffee



Fresco Multi



Fresco Beige



Fresco Grey



Micro White









SIYATONE



Quarry Bianco




Quarry Ivory



Quarry Beige



Stone Multi



Stone Grey









Texada Beige





Texada Grey





Texada Bianco



Texada Sky



Nivola Beige



Nivola Stone








Arova Grey





Arova Red









Moondust Brown



Moondust Beige







Quarry Grey

Mystry Bianco










Fog Caffe

INDEX

Page Number/ Name


































₹.\$


ANTI-SLIP

Amarone Beige



| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 4 |
















| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 4 |























₹.\$

ANTI-SLIP

Amarone Bianco



| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 4 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |











| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 4 |



















































| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 1 |























| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 3 |


















































| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 2 |

























| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 3 |
























Emser Beige



| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 1 |























Emser Moca



| THICKNESS | FINISH | RANDOM |
|-----------|----------|---|
| 9 MM | POLISHED | 4 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | (表) 1. (A. 1.) 等于 (A. 1.) |
| | | |
| | | |
| | | |
| | | |
| | | |





₹.\$
















| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 4 |






















Emser Silver



| 9 MM POLISHED 4 | THICKNESS | FINISH | RANDOM | |
|-----------------|-----------|----------|--------|--|
| | 9 MM | POLISHED | 4 | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |








| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 1 |

























Forbo Dove



| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 4 |







ANTI-SLIP

₹.\$












| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 4 |

























| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 4 |

























| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 1 |


























| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 2 |


























| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 2 |
























| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 3 |



























| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 2 |

























| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 2 |





















Moondust Brown

| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 3 |























₹.₩

9 MM

NATURAL


ANTI-SLIP

Moondust Beige




| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 3 |











Moondust Grey



| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 3 |







(**















| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 3 |
















Quarry Brown



| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 1 |





(**

9 MM


NATURAL

ANTI-SLIP









Quarry Grey



| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 3 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |







































Quarry Ivory



| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 3 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |























Quarry Beige



| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 3 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |












| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 3 |




























| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 2 |


























| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 3 |



























| THICKNESS | FINISH | RANDOM | |
|-----------|----------|--------|--|
| 9 MM | POLISHED | 2 | |
| | | | |
| | 1000 | | |

























| THICKNESS | FINISH | RANDOM | |
|-----------|----------|--------|----------|
| 9 MM | POLISHED | 2 | |
| | | | |
| | | | |
| | | | *\ \ \ . |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |







₹.\$











Texada Beige

₹.₩

9 MM


NATURAL

ANTI-SLIP



| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 3 |















Texada Moca



| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 5 |


























| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 5 |

























| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 5 |
























Texada Bianco

₹.\$



| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 5 |
































| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 3 |

























Nivola Stone

| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 3 |





















Nivola Multi

| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 3 |






















Stony Natural

| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 3 |




















































Arova Cobad

| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 3 |























Arova Red

| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 3 |
























Arova Aqua

| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 3 |


























| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 3 |























Arova Bianco

| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 3 |





















Mystry Bianco

| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 1 |



















































| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 1 |


























| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 1 |
























| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 6 |
























Fog Caffe























Fog Ivory



| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 6 |







₹.₩











| THICKNESS | FINISH | RANDOM |
|-----------|----------|--------|
| 9 MM | POLISHED | 6 |






















Tep Terazzo Multi

THICKNESS FINISH RANDOM

9 MM Semi High Gloss

























Tep Terazzo Yellow

THICKNESS FINISH RANDOM
9 MM Semi High Gloss 4























Tep Terazzo Aqua

| THICKNESS | FINISH | RANDOM |
|-----------|-----------------|--------|
| 9 MM | Semi High Gloss | 4 |























Tep Terazzo Grey

| THICKNESS | FINISH | RANDOM |
|-----------|-----------------|--------|
| 9 MM | Semi High Gloss | 4 |

















TECHNICAL SPECIFICATION

| CHARACTERISTIC | STANDARD AS PER ISO-13006/EN 14411 GROUP Bla | MEAN VALUE OF POLISHED GVT | MEAN VALUE OF RUSTIC GVT | TEST METHO |
|--|--|-------------------------------|-----------------------------|-------------|
| | | | | |
| REGULATORY PROPERTIES | , | | | |
| Deviation in length & width | ±0.5 % | ±0.1 % | ±0.1 % | ISO-10545-2 |
| Deviation in thickness | ±5.0 % | ±4.0 % | ±4.0 % | ISO-10545-2 |
| Straightness in side | ±0.5 % | ±0.1 % | ±0.1 % | ISO-10545-2 |
| Rectangularity | ±0.5 % | ±0.1 % | ±0.1 % | ISO-10545-2 |
| Surface flatness | ±0.5 % | ±0.2 % | ±0.2 % | ISO-10545-2 |
| Color difference | Unaltered | No change | No change | ISO-10545-1 |
| Glossiness | As per mfg | Min 90% | Min 4% | GLOSSOMETI |
| STRUCTURAL PROPERTIES | | | | |
| Water absorption | < 0.50 % | < 0.20 % | < 0.20 % | ISO-10545-3 |
| Apparent density | > 2.0 g/cc | >2.10 g/cc | >2.10 g/cc | DIN 51082 |
| MASSIVE MECHANICAL PROP | PERTIES | | | |
| Modulus of rupture | Min. 35 N/mm ² | Min. 40 N/mm ² | Min. 40 N/mm ² | ISO-10545-4 |
| Breaking strength | Min. 1300 N | Min. 2000 N | Min. 2000 N | ISO-10545-4 |
| Impact resistance | As per mfg. | Min. 0.55 | Min. 0.55 | ISO-10545-5 |
| SURFACE MECHANICAL PRO | PERTIES | | | |
| Surface abrasion resistance | As per mfg. | Min. Class-3 | Min. Class-4 | ISO-10545-7 |
| MOH's hardness | As per mfg. | Min. 4 | Min. 5 | EN 101 |
| THERMO HYGROMETRIC PRO | PERTIES | | | |
| Frost resistance | No damage | No damage | No damage | ISO-10545-1 |
| Thermal shock resistance | No damage | No damage | No damage | ISO-10545-9 |
| Moisture expansion | Nil | Nil | Nil | ISO-10545-1 |
| Thermal expansion (COE) | Max. 9.0 x 10 ⁻⁶ | Max. 6.5x10 ⁻⁶ | Max. 6.5 x 10 ⁻⁶ | ISO-10545-8 |
| Crazing resistance | As per mfg. | Min. 10 Cycle | Min. 10 Cycle | ISO-10545-1 |
| CHEMICAL PROPERTIES | | | | |
| Chemical resistance | No damage | No damage | No damage | ISO-10545-1 |
| Stain resistance | Resistant | Resistant | Resistant | ISO-10545-1 |
| SAFETY PROPERTIES | | | | |
| Slip resistance | As per mfg. | >0.40 | >0.40 | ISO-10545-1 |
| Fire resistance | As per mfg. | Fire proof | Fire proof | N. A. |
| Lead & Cadmium given off by glazed tiles | As per mfg. | Does not yield Pb & Cd | Does not yield Pb & Cd | ISO-10545-1 |

PACKAGING DETAILS

| SR. NO | PRODUCT | NOMINAL SIZE | THICKNESS | TILES PER BOX | COVERAGE AREA |
|--------|-----------------|--------------|-----------|---------------|---------------|
| 1 | VITRIFIED TILES | 600x1200mm | 9mm | 2 | 1.44 Sq. Mtr. |

SYMBOLS

Technical Specification







Eco Friendly









Resistant

Application symbole







Offices









Wellness Center E Shopping Area























Thank You



SIYATONE GLOBAL PVT LTD

Regd.Office: Survey No. 105/1 P2, Opp. Intel Vitrified, Jambudiya,

Morbi - 363 642.

CIN: U46909GJ2024PTC156431

Call on: +91 9712590444 Email: info@siyatone.com