



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar-382 010

Phone : (079) 23226295

Fax : (079) 23232156

Website : www.gpcb.gov.in

BY RPAD/

AMENDMENT OF CONSENT TO ESTABLISH (NOC)

NO: GPCB/CCA/Morbi-1195/ID-46080/

Date:

To,
M/s. Siyaram Granito Pvt. Ltd. (46080),
Survey No: 279/P3, 282, 283, 287/P1, 287/P-2, 288/P2,
Jetpar Road, Nr. Rangpar Village, Jivapar (ch) - 363641,
Tal: & Dist-Morbi.

Sub: - Amendment in Consent to Establish (NOC).

- Ref: (1) Your Amendment in Consent to Establish (NOC) application inward -193155 Dated 31/05/2021.
(2) The Board has granted Amendment to Consent to Establish (NOC) Order CTE-97869 valid up to -17/12/2023 issued vide letter no. GPCB/MOR-1195/ID-46080/493630 Dated 04/02/2019.
(3) The Board has granted Consent to Operate (CC&A) Order AWH-112455 valid up to -16/01/2026 issued vide letter no. GPCB/MOR-1195/ID-46080/588943 Dated 27/04/2021.

Sir,

The Board has granted Amendment to Consent to Establish (NOC) CTE-97869 valid up to -17/12/2023 issued vide letter no. GPCB/MOR-1195/ID-46080/493630 Dated 04/02/2019. Now CTE-Amendment granted as under.

CTE-Amendment No: CTE-114334, Valid up to:30/05/2028.

Sr. No.	Product Name	Existing Quantity	Proposed Quantity	Total Quantity
1	Ceramic Vitrified Tiles	15,000 MT/Month	3,000 MT/Month	18,000 MT/Month

2. CONDITIONS UNDER THE WATER ACT 1974 SHALL BE AMEND AS UNDER:

- 2.1. The quantity of the water consumption for industrial purpose shall not exceed 120 KLPD.
2.2. The quantity of the fresh water consumption for domestic purpose shall not exceed 11 KLPD.
2.3. The quantity of industrial effluent from the manufacturing process and other ancillary industrial operation shall not exceed 40 KLPD. The entire generated effluent generated from industry should be reused/re-cycle after giving proper treatment in their own ETP.
2.4. The quantity of the domestic waste water (Sewage) shall not exceed 2.5 KLPD.
2.5. Sewage shall be disposed off through septic tank/soak pit system.

3. CONDITIONS UNDER THE AIR ACT 1981 SHALL BE AMEND AS UNDER:

- 3.1 The following shall be used as fuel:

Sr. No.	Fuel	Existing	Proposed	Total
1	Coal/Lignite for spray dryer	25 MT/Day	55 MT/Day	80 MT/Day
2	HSD	100 Lit/hr.	100 Lit/hr.	200 Lit/hr.
3	Natural Gas /Propane	NG-15000 SCMD	NG-23000 SCMD AND Propane Gas- 600 MT/Month	Natural Gas -38000 SCMD AND/OR Propane Gas- 600 MT/Month

Clean Gujarat Green Gujarat

ISO - 9001 - 2008 & ISO - 14001 - 2004 Certified Organisation

3.2 The flue gas emission through stack shall confirm to the following standards are amend as under:

Stack No.	Stack attached to	Stack height	APCM	Parameter	Permissible Limit
1	Roller Kiln No-1 (Existing)	12 m	--	Particulate matter SO ₂ NO _x	150 mg/ NM ³
2	Roller Kiln No-2 (Proposed)	12 m	--		100 ppm
3	D.G. Set-2 Nos (1000 KVA) (Each) (Existing)	12 m (Each)	--		50 ppm
4	D.G. Set (1000 KVA) (Proposed)	12 m	--		

3.3 The process emission through various stacks /vent shall confirm to the following standards:

Stack No.	Stack attached to	Stack height	APCM	Parameter	Permissible Limit Mg/Nm ³
1	Dryer No-1 (Existing)	9 m	--	Particulate Matter SO ₂ NO _x	150
2	Dryer No-2 (Proposed)	9 m	--		40
3	Spray Dryer No-1 (450 TPD) (Existing)	30 m	Cyclone Separator & Water Scrubber		25
4	Spray Dryer No-2 (350 TPD) (Proposed)	30 m	Cyclone Separator & Water Scrubber		

4. The other conditions of granted Consent to Establish (NOC) Order CTE-97869 valid up to -17/12/2023 issued vide letter no. GPCB/MOR-1195/ID-46080/493630 Dated 04/02/2019 shall remain unchanged and conditions of CCA (CTO) Order AWH- 112455 valid up to -16/01/2026 issued vide letter no. GPCB/MOR-1195/ID-46080/588943 Dated 27/04/2021 shall remain applicable.

For and on behalf of
Gujarat Pollution Control Board

D. M. Thaker
21/9/2021
(D.M.Thaker)
Environmental Engineer