



WELCOME TO

Siyatone Global Pvt Ltd

Founded in 1998, Siyatone has emerged as a pioneering force in the flooring industry. Its headquarters, advanced manufacturing facilities, and research labs are strategically located in Morbi, India.

Specializing in porcelain and ceramic tiles, Siyatone combines innovative designs with unmatched durability. Supported by **1,250 employees and 8 state-of-the-art minerals, ink, and tile production facilities,** Siyatone achieved a remarkable turnover of **\$146 million in 2023.**

As a trusted leader, Siyatone blends expertise, sustainability, and excellence to meet global demands and shape the future of the flooring industry.







More Than 110k Sq. Mtr.



27+ Year Of Experience



More Than 1250+ Employee



5 Unit Ceramic and 52+ C
3 Unit Minerals Sei







Worldwide Customers





Siyatone brings life to every corner of your space. From walls to floors, our tiles are designed to infuse vibrancy, elegance, and durability into every nook, turning houses into homes and spaces into experiences.




TRANSFORMING SPACES, BREATHING LIFE



The Continue+ Collection emphasizes endless carving designs, likely featuring intricate patterns that flow seamlessly across tiles. These tiles are perfect for adding texture and depth to walls or floors, creating a statement piece in any space.







INDEX

Page Number/Name







Berry Bianco



Arona Silver



Classic Bottochino



Craf Statuario



Creck Caffe







Glassor Caffe



Gold Spero





Maxima Beige



Milano Grey



Montclair Beige



Moon Onyx Bianco



Petra Grey Lighte



Roxie Multi



Silvia Beige



Spark White



Stick Ivory



White Censor





Armani Graviti Brown







Armani Graviti Caffe



Armani Graviti Dove



Grey






Cleo Brown








Armani Graviti Bianco
























Berry Bianco

THICKNESS	FINISH	RANDOM
9 MM	ENDLESS CARVING	4



























Arona Silver

THICKNESS FINISH RANDOM	9 MM	ENDLESS CARVING	4
	THICKNESS	FINISH	RANDOM
























Classic Bottochino


























Craf Satuario

9 MM	ENDLESS	4	
THICKNESS	FINISH	RANDOM	


























Creck Caffe

THICKNESS	FINISH	RANDOM
9 MM	ENDLESS CARVING	4

























Crown Marfil


























Emprador Aqua

THICKNESS FINISH RANDOM
9 MM ENDLESS 4


























Flurry Dove



























Glassor Caffe

9 MM	ENDLESS CARVING	3
THICKNESS	FINISH	RANDOM


























Gold Spero

9 MM	ENDLESS CARVING	3
THICKNESS	FINISH	RANDOM


























Kinder Brown
























Maxima Beige




























Milano Grey

9 MM	ENDLESS CARVING	3
THICKNESS	FINISH	RANDOM

























Montclair Beige


























Moon Onyx Bianco
























Petra Grey Lighte
























Roxie Multi

9 MM	ENDLESS	4	
THICKNESS	FINISH	RANDOM	

























Silvia Beige

THICKNESS FINISH RANDOM	MM ENDLESS	ЛM
	HICKNESS FINISH	ICKNESS
























Spark White

9 MM	ENDLESS	4	
THICKNESS	FINISH	RANDOM	
























Stick Ivory



























White Censor

9 MM	ENDLESS CARVING	4
THICKNESS	FINISH	RANDOM

























Armani Graviti Beige

























Armani Graviti Brown

9 MM	ENDLESS CARVING	3
THICKNESS	FINISH	RANDOM


























Armani Graviti Caffe

























Armani Graviti Dove

























Armani Graviti Grey

9 MM	ENDLESS	3	
THICKNESS	FINISH	RANDOM	
























Berry Grey



























Cleo Brown



























Emprador Multi

THICKNESS FINISH RANDOM
9 MM ENDLESS 4























Kinder Grey
























Kinder Ivory



























Roxie Gold

9 MM	ENDLESS CARVING	4
THICKNESS	FINISH	RANDOM


























Wild Stone



















TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN 14411 GROUP Bla	MEAN VALUE OF POLISHED GVT	MEAN VALUE OF RUSTIC GVT	TEST METHOD
REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	Min 4%	GLOSSOMETER
STRUCTURAL PROPERTIES				
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	>2.10 g/cc	>2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROF	PERTIES		1	
Modulus of rupture	Min. 35 N/mm ²	Min. 40 N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROF	PERTIES			
Surface abrasion resistance	As per mfg.	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg.	Min. 4	Min. 5	EN 101
THERMO HYGROMETRIC PRO	PERTIES			
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5x10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES	1	1		
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
Juni I Coloral ICC	IICSISTAIIT	ווכאאנמוונ	nesistant	150-10545-14
SAFETY PROPERTIES				
Slip resistance	As per mfg.	>0.40	>0.40	ISO-10545-17
Fire resistance	As per mfg.	Fire proof	Fire proof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Does not yield Pb & Cd	Does not yield Pb & Cd	ISO-10545-15

PACKAGING DETAILS

SR. NO	PRODUCT	NOMINAL SIZE	THICKNESS	TILES PER BOX	COVERAGE AREA
1	VITRIFIED TILES	600x1200mm	9mm	2	1.44 Sq. Mtr.

SYMBOLS lcons

Technical Specification





12 Color Technology



Eco Friendly









Recti

Heat esistant

Scratch Resistant

Application symbole







Offices









Wellness Center



E Shopping Area

•











Gard







Thank You



SIYATONE GLOBAL PVT LTD

Regd.Office : Survey No. 105/1 P2, Opp. Intel Vitrified, Jambudiya,

Morbi - 363 642.

CIN: U46909GJ2024PTC156431

Call on: +91 9712590444 Email: info@siyatone.com