



WELCOME TO

Siyatone Global Pvt Ltd

Founded in 1998, Siyatone has emerged as a pioneering force in the flooring industry. Its headquarters, advanced manufacturing facilities, and research labs are strategically located in Morbi, India.

Specializing in porcelain and ceramic tiles, Siyatone combines innovative designs with unmatched durability. Supported by **1,250 employees and 8 state-of-the-art minerals, ink, and tile production facilities,** Siyatone achieved a remarkable turnover of **\$146 million in 2023.**

As a trusted leader, Siyatone blends expertise, sustainability, and excellence to meet global demands and shape the future of the flooring industry.







More Than 110k Sq. Mtr.



27+ Year Of Experience



More Than 1250+ Employee



5 Unit Ceramic and 3 Unit Minerals



52+ Country Served




Worldwide Customers





Siyatone brings life to every corner of your space. From walls to floors, our tiles are designed to infuse vibrancy, elegance, and durability into every nook, turning houses into homes and spaces into experiences.




TRANSFORMING SPACES, BREATHING LIFE



The ShineLux Collection highlights polished, high-gloss surfaces that reflect light beautifully, exuding luxury and sophistication. These tiles are perfect for spaces that demand a premium and spacious feel, adding a touch of brilliance to any interior.



















Abacus Onyx Beige





Novella Onyx Beige



Novella Onyx Grey



Onyx Pearl Grey



Resilio Onyx



Cloud Onix

Triton Onyx



Fantasy Onyx Aqua





Onyx Paul



Ultim Onyx Aqua



Ultim Onyx Red



Abacus Onyx Bianco



Graphite Onyx Grey



Mega Onyx Grey

















Arkos Onyx



Marmol Light Grey






China Gold

9 MM	POLISHED	8
THICKNESS	FINISH	RANDOM


























Mountain Green

9 MM	POLISHED	3
THICKNESS	FINISH	RANDOM























Abacus Onyx Beige

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3



























Cloud Onix

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	4



























Mandarina Onyx

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3

























Novella Onyx Beige

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3



























Novella Onyx Grey

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3

























Onyx Pearl Grey

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3























Resilio Onyx

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3


























Triton Onyx

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3


























Fantasy Onyx Aqua

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	4


























Onyx Florito

THICKNESS FINISH RANDOM

9 MM POLISHED 4























Onyx Paul

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	1























Ultim Onyx Aqua

9 MM	POLISHED	6
THICKNESS	FINISH	RANDOM









₹.₩











Ultim Onyx Red

FINISH RANDOM THICKNESS **POLISHED** 9 MM 6























Abacus Onyx Bianco

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3























Graphite Onyx Grey

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	4























Mega Onyx Grey

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3






















Onyx Bianco

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3






















Arkos Onyx

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	2
























Fantasy Onyx Grey

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	4























Graphite Onyx Light Grey

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	4





















Centy Blue

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3

























Clemencia Azul

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3























Marmol Light Grey

THICKNESS FINISH RANDOM
9 MM POLISHED 4





















TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN 14411 GROUP Bla	MEAN VALUE OF POLISHED GVT	MEAN VALUE OF RUSTIC GVT	TEST METHO
REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-1
Glossiness	As per mfg	Min 90%	Min 4%	GLOSSOMET
STRUCTURAL PROPERTIES				
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	>2.10 g/cc	>2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROP	PERTIES	<u> </u>		
Modulus of rupture	Min. 35 N/mm ²	Min. 40 N/mm ²	Min. 40 N/mm²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROF	PERTIES	1		
Surface abrasion resistance	As per mfg.	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg.	Min. 4	Min. 5	EN 101
THERMO HYGROMETRIC PRO	PERTIES			
Frost resistance	No damage	No damage	No damage	ISO-10545-1
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-1
Thermal expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5x10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-1
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-1
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-1
SAFETY PROPERTIES				
Slip resistance	As per mfg.	>0.40	>0.40	ISO-10545-1
Fire resistance	As per mfg.	Fire proof	Fire proof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Does not yield Pb & Cd	Does not yield Pb & Cd	ISO-10545-1

PACKAGING DETAILS

SR. NO	PRODUCT	NOMINAL SIZE	THICKNESS	TILES PER BOX	COVERAGE AREA
1	VITRIFIED TILES	600x1200mm	9mm	2	1.44 Sq. Mtr.

SYMBOLS lcons

Technical Specification















12 Color Technology

Eco Friendly

Resistant

Application symbole







Offices









E Shopping Area

Wellness Center















Thank You



SIYATONE GLOBAL PVT LTD

Regd.Office : Survey No. 105/1 P2, Opp. Intel Vitrified, Jambudiya,

Morbi - 363 642.

CIN: U46909GJ2024PTC156431

Call on: +91 9712590444 Email: info@siyatone.com