



WELCOME TO

Siyatone Global Pvt Ltd

Founded in 1998, Siyatone has emerged as a pioneering force in the flooring industry. Its headquarters, advanced manufacturing facilities, and research labs are strategically located in Morbi, India.

Specializing in porcelain and ceramic tiles, Siyatone combines innovative designs with unmatched durability. Supported by 1,250 employees and 8 state-of-the-art minerals, ink, and tile production facilities, Siyatone achieved a remarkable turnover of \$146 million in 2023.

As a trusted leader, Siyatone blends expertise, sustainability, and excellence to meet global demands and shape the future of the flooring industry.







More Than 110k Sq. Mtr.



27+ Year Of Experience



More Than 1250+ Employee



5 Unit Ceramic and 3 Unit Minerals



52+ Country Served



Worldwide Customers





Siyatone brings life to every corner of your space. From walls to floors, our tiles are designed to infuse vibrancy, elegance, and durability into every nook, turning houses into homes and spaces into experiences.




TRANSFORMING SPACES, BREATHING LIFE

ShineLux

The ShineLux Collection highlights polished, high-gloss surfaces that reflect light beautifully, exuding luxury and sophistication. These tiles are perfect for spaces that demand a premium and spacious feel, adding a touch of brilliance to any interior.









Page Number/ Name





Armani Bosco Silvar



Brescia Grey tile



Brilliant White



Crack White



Crack Gold White



Madrid Bianco



Palpis Bianco





Shara Gold



Brilliant Gold



Diva Beige



Emrador Bianco



Glory Bianco



Majesto Gris



Medrid Bianco



Rivoli Blue



Grey



Veneeyar Grey



Veneeyar Gold





Blossom Bianco



Calcatta Gold







Nordia Gold












Electra Grey









Armani Bosco Silvar

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3























Brescia Grey

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	4
























Brilliant White

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3
























Crack White

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3
























Crack Gold White

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3





















Medrid Bianco

THICKNESS **FINISH** RANDOM **POLISHED** 9 MM

























Palpis Bianco

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3
























Rosalia Grey

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3























Shara Gold

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3


























Brilliant Gold

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3

























Diva Beige

THICKNESS FINISH RANDOM
9 MM POLISHED 4























Emrador Bianco

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	4
























Glory Bianco

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3























Majesto Gris

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3

























Medrid Bianco

THICKNESS **FINISH** RANDOM **POLISHED** 9 MM

























Rivoli Blue

THICKNESS FINISH RANDOM

9 MM POLISHED 1

























Veneeyar Light Grey

THICKNESS **FINISH** RANDOM **POLISHED** 9 MM 5



























Veneeyar Grey

THICKNESS **FINISH** RANDOM **POLISHED** 9 MM 5
























Veneeyar Gold

HICKNESS	FINISH	RANDOM
ММ	POLISHED	6





















Zettavili White

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	4























Blossom Bianco

9 MM	POLISHED	6
THICKNESS	FINISH	RANDOM

























Calcatta Gold





















Canna White
























Kendo White

THICKNESS FINISH RANDOM
9 MM POLISHED 8


























Nordia Gold

9 MM	POLISHED	6
THICKNESS	FINISH	RANDOM























Norton Grey

THICKNESS FINISH RANDOM
9 MM POLISHED 6
























Polar Grey

9 MM	POLISHED	6
THICKNESS	FINISH	RANDOM




























Sparker Stavario Gold

9 MM	POLISHED	8
THICKNESS	FINISH	RANDOM



























Sparker Stavario

9 MM	POLISHED	8
THICKNESS	FINISH	RANDOM






















Electra Grey

THICKNESS	FINISH	RANDOM
9 MM	POLISHED	3



















TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN 14411 GROUP Bla	MEAN VALUE OF POLISHED GVT	MEAN VALUE OF RUSTIC GVT	TEST METHOD
REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	Min 4%	GLOSSOMETER
STRUCTURAL PROPERTIES				
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	>2.10 g/cc	>2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROF	PERTIES			
Modulus of rupture	Min. 35 N/mm ²	Min. 40 N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROI	PERTIES			
Surface abrasion resistance	As per mfg.	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg.	Min. 4	Min. 5	EN 101
THERMO HYGROMETRIC PRO	PERTIES			
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5x10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			· · · · · · · · · · · · · · · · · · ·	
Slip resistance	As per mfg.	>0.40	>0.40	ISO-10545-17
Fire resistance	As per mfg.	Fire proof	Fire proof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Does not yield Pb & Cd	Does not yield Pb & Cd	ISO-10545-15

PACKAGING DETAILS

SR. NO	PRODUCT	NOMINAL SIZE	THICKNESS	TILES PER BOX	COVERAGE AREA
1	VITRIFIED TILES	600x1200mm	9mm	2	1.44 Sq. Mtr.

SYMBOLS

Technical Specification















12 Color Technology

Eco Friendly

Resistant

Application symbole







Offices











E Shopping Area























Thank You



SIYATONE GLOBAL PVT LTD

Regd.Office : Survey No. 105/1 P2, Opp. Intel Vitrified, Jambudiya,

Morbi - 363 642.

CIN: U46909GJ2024PTC156431

Call on: +91 9712590444 Email: info@siyatone.com